





Disclaimer

CIVILVIC - DUNKELD | Australia | 10/2/2023 | De Luca, Nick
MAXIMO 270 MX 18 | Wall height 2100 mm
This PERI formwork is designed for a maximum fresh concrete pressure of 80 kN/m². The corresponding assembly instruction must be observed! Please pay attention to further information by scanning the QR code.

MAXIMO Standard Section H=210 (90+120)




CIVILVIC - DUNKELD | Australia | 10/2/2023 | De Luca, Nick

MAXIMO 270 MX 18 | Wall height 2100 mm

This PERI formwork is designed for a maximum fresh concrete pressure of 80 kN/m². The corresponding assembly instruction must be observed! Please pay attention to further information by scanning the QR code.

Disclaimer




CIVILVIC - DUNKELD | Australia | 10/2/2023 | De Luca, Nick

MAXIMO 270 MX 18 | Wall height 2100 mm

This PERI formwork is designed for a maximum fresh concrete pressure of 80 kN/m². The corresponding assembly instruction must be observed! Please pay attention to further information by scanning the QR code.

[Disclaimer](#)



CIVILVIC - DUNKELD | Australia | 10/2/2023 | De Luca, Nick

MAXIMO 270 MX 18 | Wall height 2100 mm

This PERI formwork is designed for a maximum fresh concrete pressure of 80 kN/m². The corresponding assembly instruction must be observed! Please pay attention to further information by scanning the QR code.

[Disclaimer](#)